

"IP address" "configured rule" search

Search Scholar Preferences
Scholar Help

Scholar

Results 1 - 9 of 9 for "IP address" "configured rule" search. (2.32 seconds)

Tip: Try removing quotes from your search to get more results.

Configuration of ACK Trees for Multicast Transport Protocols - group of 7 »

All articles Recent articles

I INTRODUCTION - ETRI. Journal, 2001 - etrij.etri.re.kr

... as its parent by using a pre-configured rule such as ... assist (GRA) based and expanding ring search (ERS) based ... the RH node with the lowest IP address will be ...

Cited by 12 - View as HTML - Web Search - BL Direct

Benchmarking Working Group Brooks Hickman Internet-Draft Spirent Communications Expiration Date: ...

S Tadjudin, T Martin, GC Inc - Benchmarking, 2002 - tools.ietf.org ... to the protected network to a virtual IP address for communicating ... SHOULD include the DUT/SUT configured rule set(s ... test MAY employ an iterative search algorithm ... View as HTML - Web Search

Request for Comments: 3511 Spirent Communications Category: Informational D. Newman Network Test - group of 33 »

S Tadjudin, T Martin, GC Inc - Benchmarking, 2003 - rfc.net

... report SHOULD include the DUT/SUT **configured rule** set(s ... The intermediate results of the **search** algorithm MAY ... packets targeting the server(s) **IP address** or NAT ... Cached - Web Search

RFC 3511 (RFC3511)

N Test, S Tadjudin, T Martin, GC Inc - Benchmarking, 2003 - faqs.org ... report SHOULD include the DUT/SUT configured rule set(s ... The intermediate results of the search algorithm MAY ... packets targeting the server(s) IP address or NAT ... Cached - Web Search

Benchmarking Working Group Brooks Hickman Internet-Draft Spirent Communications Expiration Date: ... - group of 2 »

S Tadjudin, T Martin, GC Inc - Benchmarking, 2002 - tools.ietf.org

... report SHOULD include the DUT/SUT **configured rule** set(s ... The intermediate results of the **search** algorithm MAY ... packets targeting the server(s) **IP address** or NAT ... View as HTML - Web Search

S. Tadjudin Spirent Communications T. Martin GVNW Consulting Inc April 2003

N Test - Benchmarking, 2003 - rfc3511.x42.com

... report SHOULD include the DUT/SUT configured rule set(s ... The intermediate results of the search algorithm MAY ... packets targeting the server(s) IP address or NAT ... Cached - Web Search

A Design and Analysis of Top-down based ACK-Trees - group of 5 »

E Kim, S Koh, J Park, S Kang, J Choe - Networks, 2001. Proceedings. Ninth IEEE International ..., 2001 -

doi.ieeecomputersociety.org

... based, Mesh and ERS (Expanding Ring Search) based mechanisms ... its representative by using a pre-configured rule such as TTL distance or announced IP address. ...

Web Search

FOR Tree-BASED Reliable Multicast Transport Protocols

C Point - ectp.etri.re.kr

... RH as its parent by using a pre-configured rule such as TTL distance or IP

2 of 2

address[KLC+00 ... GRA (Generic Router Assist), ERS (Expanding Ring Search) and Mesh ... View as HTML - Web Search

Intrusion Detection In Depth: Finding The Needle

M Wisener - GCIA Practical Assignment, 2003 - giac.org ... Sure the **IP** address is from the same machine, but what's to say it's not spoofed from a person that notices the scanning and wants to corrupt the gathered data ... Cited by 2 - View as HTML - Web Search

"IP address" "configured rule" search

Google Home - About Google - About Google Scholar

©2006 Google

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library • The Guide

+"IP address" +"configured rule" +search +switch +binary

SEARCH

the acm digital library

Feedback Report a problem Satisfaction survey

Try an Advanced Search

Terms used IP address configured rule search switch binary

Found 1 of 175,083

Sort results by

Display

results

relevance

expanded form

Save results to a Binder ? Search Tips

Try this search in The ACM Guide Open results in a new

window

Results 1 - 1 of 1

Relevance scale

Stateful distributed interposition John Reumann, Kang G. Shin

February 2004 ACM Transactions on Computer Systems (TOCS), Volume 22 Issue 1

Publisher: ACM Press

Full text available: 7 pdf(833.84 KB) Additional Information: full citation, abstract, references, index terms

Interposition-based system enhancements for multitiered servers are difficult to build because important system context is typically lost at application and machine boundaries. For example, resource quotas and user identities do not propagate easily between cooperating services that execute on different hosts or that communicate with each other via intermediary services. Application-transparent system enhancement is difficult to achieve when such context information is obscured by complex servic ...

Keywords: Distributed computing, component services, distributed context, multitiered services, operating systems, server consolidation

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player